



Propeller Type FR - 4 bladed fixed adjustable (Propell Type FR - 4 bladett fast regulerbar)

Ortho view:



Base view:



| Part number (Delenummer) | $\varnothing_{\text{shaft}}$ [mm] | D [mm] | P [mm] | A [%] | d [mm] | L [mm] | N _{blades} [number] |
|-----------------------------|--------------------------------------|-----------|-----------|----------|------------|------------|---------------------------------|
| 40FR9004 | \varnothing 40 | | | | 120 | 250 | 4 |
| 45FR9004 | \varnothing 45 | | | | 120 | 250 | 4 |
| 50FR9004 | \varnothing 50 | | | | 140 | 300 | 4 |
| 60FR9004 | \varnothing 60 | | | | 160 | 340 | 4 |
| 70FR9004 | \varnothing 70 | | | | 180 | 450 | 4 |
| 80FR9004 | \varnothing 80 | | | | 210 | 500 | 4 |
| 90FR9004 | \varnothing 90 | | | | 210 | | 4 |
| 100FR9004 | \varnothing 100 | | | | 240 | | 4 |
| 110FR9004 | \varnothing 110 | | | | 240 | | 4 |
| 120FR9004 | \varnothing 120 | | | | 280 | | 4 |
| 130FR9004 | \varnothing 130 | | | | 280 | | 4 |

Please specify cone of shaft and key way details when You are ordering.
(Vennligst oppgi kon på aksling og mål på kilespor ved bestilling.)

Technical information: Standard cone is 1:10. (Standard kon er 1:10.)

Example: Key for propeller blade design
(Eksempel: Nøkkelparametere for propelldesign)

| \varnothing_{hub} [mm] | Right- or Left-handed (Høyre- eller venstregående) | D [mm] | P [mm] | A [%] |
|--|---|-------------------------------------|--|--|
| Propeller hub diameter (Propellboss diameter) | Direction of rotation (Rotasjonsretning) | Prop. diameter (Propelldiameter) | Prop. design pitch at 0,7°D/2 (Konstruksjonsstigning) | Prop. blade area ratio (Propellens bladareal) |
| 210 | RH or LH | 850 | 1216 | 76 |

210RH - 850 - 1216 - 76
Engraved at propeller blade root (Inngravert i propellbladrot)

| | | |
|--|------------------------|------------------------|
|  WEST MEKAN Malakoff 3 N-6770 Nordfjordeid NORWAY | Tel: (+47) 57 88 51 50 | Fax: (+47) 57 88 51 51 |
| | office@west-mekan.no | www.west-mekan.no |